


**CREFORM STRUCTURE**

Nestable and mobile work stand

# Z-Cart

## Improve working and space-saving




**For improvement of ergonomics,  
space utilization and work efficiency**

- **Nestable**
  - » Space-saving when not in use
- **Good combination of plastic joint and CREFORM pipe**
  - » Lightweight and robust against deforming
  - » Perfect compatibility with ø28 CREFORM components
- **Wide range of colour options**
  - » Useful for group identification and visual management

**INFORMATION**

## CREFORM STRUCTURE



### ■ To hold work at correct height

**CREFORM** Z-Cart can help you with ergonomic working posture. It holds a work (or a tool box) at a correct height based on ergonomics and also enables an operation from the best direction and location by easily positioning the work piece.

### ■ To make best use of available space

This unique Z-shaped frame, which is the reason of its nickname 'Z-Cart', enables storage in nested state. This feature allows you effective space utilization. Therefore for flexible production planning, a number of Z-Carts can always be kept in just a small area.


Usage examples ►



## Basic specifications

Colour	Pipe	Standard: <span style="display: inline-block; width: 10px; height: 10px; background-color: #f0f0f0; border: 1px solid black;"></span> IV, <span style="display: inline-block; width: 10px; height: 10px; background-color: #0056b3; border: 1px solid black;"></span> BL, <span style="display: inline-block; width: 10px; height: 10px; background-color: #808080; border: 1px solid black;"></span> LGR, <span style="display: inline-block; width: 10px; height: 10px; background-color: #d3d3d3; border: 1px solid black;"></span> WT, <span style="display: inline-block; width: 10px; height: 10px; background-color: #333333; border: 1px solid black;"></span> GR Special: <span style="display: inline-block; width: 10px; height: 10px; background-color: #cc0000; border: 1px solid black;"></span> RT, <span style="display: inline-block; width: 10px; height: 10px; background-color: #008000; border: 1px solid black;"></span> GN, <span style="display: inline-block; width: 10px; height: 10px; background-color: #ffff00; border: 1px solid black;"></span> GE, <span style="display: inline-block; width: 10px; height: 10px; background-color: #ff4500; border: 1px solid black;"></span> OR, <span style="display: inline-block; width: 10px; height: 10px; background-color: #00bfff; border: 1px solid black;"></span> B1, <span style="display: inline-block; width: 10px; height: 10px; background-color: #ffff00; border: 1px solid black; border-style: dashed;"></span> SG (stripe), <span style="display: inline-block; width: 10px; height: 10px; background-color: #c0c0c0; border: 1px solid black;"></span> HPS (shiny)
	Joint	<span style="display: inline-block; width: 10px; height: 10px; background-color: #f0f0f0; border: 1px solid black;"></span> IV, <span style="display: inline-block; width: 10px; height: 10px; background-color: #333333; border: 1px solid black;"></span> GR
Size / Mass	On request (For reference, see also sample structure specification)	
Load capacity	Depending on design and size (Maximum 100 kg)	

## Variations



### Sample structure

- **Size:** 500 x 370 x 700 mm
- **Weight:** c.a. 6 kg
- **Max. load:** 50 kg
- **Colour:** OR, B1, GN

### Flat display stand


For general purpose. By setting a thick board into four corner joints, also as a temporary workbench.



500 x 370 x 700 mm

### Tilted display stand


To represent inside and gather pickings downside for convenience and FIFO. Also as a temporary drafting table with a thick board.



500 x 370 x 900 mm


### Metal joint type

Easy to modify and disassemble. Components can be reused for other structures even when Z-Cart is no longer in use.



500 x 370 x 700 mm

# Every difficulty can be solved



## Other Products

**Pipes****Joints****Casters****Automatic guided vehicles**

**CREFORM®** Technik GmbH  
 Wolfsburg Straße 10  
 D-34225 Baunatal  
 Tel. +49 (0) 5 61.47 59 67-0  
 Fax +49 (0) 5 61.47 59 67-88  
[www.creform.de](http://www.creform.de)  
[info@creform.de](mailto:info@creform.de)



© Copyright 2020

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical, photocopying, recording or otherwise, without the written authorisation from CREFORM Technik GmbH. This catalogue supersedes all previous editions. Technical data is subject to change at any time. This catalogue was produced with care and attention but if you find any errors or omissions, we welcome suggestions for improvement so please don't hesitate to let us know. If you would like more information about CREFORM Technik GmbH, please contact us, we will be more than happy to help.

**CREFORM®** is a registered trademark of Yazaki Kako Corporation.

[www.creform.de](http://www.creform.de)

